


lifelong

# MIXER GRINDER

User Manual



Manufactured for & Marketed by:  
**Lifelong Online Retail Private Limited**

For queries and complaints:  
please contact: [customercare@lifelongindia.com](mailto:customercare@lifelongindia.com)  
[www.lifelongindiaonline.com](http://www.lifelongindiaonline.com)

**Built for Taste. Built for India.**

## INTRODUCTION:

Dear Customer,

Congratulations! We welcome you to the Lifelong family, as you welcome our Lifelong Mixer Grinder to be a part of your home.

At Lifelong, our products are carefully built for the needs of India, which is why we have crafted a diverse range of innovative products, across a spectrum of categories - Home, Kitchen, Grooming, Fitness, Lifestyle and Smart Home, to better help you. We then deliver them at the best prices, enriching your everyday living.

We are sure you can't wait to start using your new Lifelong Mixer Grinder  
We know we can't!

Looking forward to building our bond for life, cheers!

Thank you, Team Lifelong



**LLMG1000**


## TABLE OF CONTENTS :

1. About the product
2. Marking of Product
3. How to fit the Blades
4. How to fit the Jars
5. How to Operate
6. Cleaning after use
7. Usages of blender jar
8. Usages of the dry grinding jar
9. Precautions
10. Care and maintenance
11. Specifications
12. Terms and conditions
13. Warranty

## ABOUT THE PRODUCT:


Lifelong Mixer Grinder is an essential addition to your kitchen that gives you great value for money. This durable multi-purpose mixer grinder, equipped with three stainless steel jars can be your preferred kitchen companion. Its multi-purpose blades are perfect to grind raw masalas for delicious pastes as well as curries. With more than 100 innovative products, available in the category, it is no wonder that millions of customers continue to choose Lifelong! It has strongly been trusted by loyal consumers for over six years. Made for you and made especially for your convenience.

## MARKING OF PRODUCT:




- 1 - Slots for Jar locks
- 2 - Driving Coupler
- 3 - Holder
- 4 - Motor Housing
- 5 - Indicator Light
- 6 - Speed Knob
- 7 - Mains Cord

MOTOR UNIT




- 1 - Dome
- 2 - Dome Clip
- 3 - Gasket
- 4 - Jar Handle
- 5 - Wet Grinding Jar
- 6 - Jar Lock

#### WET GRINDING / BLENDER JAR (WITH CHANGEABLE BLADES)



- 1 - Lid
- 2 - Dry Grinding Jar
- 3 - Jar Lock

### HOW TO FIT THE BLADES:



To fit the dry grinding blade on the shaft in the jar, hold the Nylon coupler on the underside of the jar with one hand, and with the help of the spanner (provided in the handle of the spatula) tighten by rotating it anti clockwise till the blade is securely fastened. Repeat the above procedure for the vegetable grating / meat mincing blade, wet grinding blade and whipping blade assemblies.

### HOW TO FIT THE JARS:



After fitting suitable blade, fill the jar with the ingredients to be processed (don't fill it more than the recommended quantity). Cover the jar with Lid/dome. Carefully insert the jar on to the Motor Unit. Ensure that Locks of the jar slide down the slots of the Motor Unit.

Rotate the jar clockwise until it fits. Follow the same procedure for fitting other jars.

### HOW TO OPERATE:

Ensure that the speed knob is in 'OFF' position. Put the required jar (filled with food material to be processed & Lid / dome assembly fixed firmly on to it) on the motor unit. Plug Lifelong Hulk to a power outlet. Turn the speed knob for the required speed. 'LOW' speed is suggested for whipping and blending. 'MED' speed is suitable for mixing as well as pureeing. 'HIGH' speed is recommended for dry and wet grinding. Always attain the 'HIGH' speed directly rather than gradually increasing the speed through 'LOW' and 'MED' while dry or wet grinding.

After operating the unit always turn the speed knob to 'OFF' position. Check, if the food material in the jar has become properly mixed or ground. If not, operate the unit again till desired results are achieved.

For blending / liquidizing / pureeing, press the 'Whip' button (keeping the speed knob in 'OFF' position). The motor will run as long as the whip button is kept pressed.

## **CLEANING AFTER USE:**

### **HOW TO CLEAN THE JARS**

Cleaning of the jars plays an important role in their performance. While grinding, food particles and water collected under the blade's hexagonal nut may gradually trickle onto the spindle. These food particles keep accumulating and hinder free rotation of the shaft which ultimately leads to its jamming. If the jars are cleaned and maintained as per instructions below, jamming of spindle can be minimised.

To clean the jar after every use, pour in small quantity of warm water with a little detergent. Run the motor with jar (fitted with blade) at low speed for 10-15 seconds. This helps in removing the particles sticking under the washer (steel cap).

Remove the jar from the motor unit and unscrew the blade, using spatula as a spanner.

Wash blades, and inner portion of the jar in running water, holding them in your hand.

A nylon brush can be used for cleaning them.

After washing all the parts, dry them well in air. This makes them odour free and ready for next use. Do not leave the blades fixed to the jar. Do not immerse the bottom portion of the jar in water.

Care should be taken while cleaning the blades. Don't rub with the finger/cloth. Always clean under running water.

Cleaning is EASIER when done immediately after use.

### **HOW TO CLEAN THE MOTOR UNIT**

Remove the mains plug from the wall socket (electric outlet). Clean the motor housing with a damp cloth. Do not use abrasive material for cleaning like thinner, petrol and other organic solvents etc.

Never IMMERSE the motor housing in water.

## **USAGES OF BLENDER JAR:**

**THE WET GRINDING/ BLENDER JAR** has a dome shaped lid with a removable cap on it.

By removing this cap, contents inside the jar can be checked and water etc. added, if required without detaching the dome. Dome can be firmly locked to the Jar with three locking clips. The Blender/Wet Grinding Jar is suitable for- Batter for idli, vada, dosa etc. Sambhar masala - Milk/ fruit shakes, cold coffee, lassi, buttermilk - Coconut milk, chutneys. Garlic & ginger paste - Sauces, jams - Sandwich spreads, peanut butter etc. . Blending juices, mocktails, soups etc.. Pureeing tomatoes. Whisking egg whites • Beating whole eggs . Grating orange peels for marmalade.

### **TIPS WHILE WET GRINDING**

1. While grinding rice or dal for idli batter, soak it for at least 6 - 8 hours in water.
2. Sometimes during tough wet grinding, air bubbles develop inside the paste and the blades start rotating empty resulting in heavy noise. Whenever it happens so, stop the motor immediately. Stir the paste with spatula and restart the machine. Add little water if required.

3. Avoid overloading the machine with extra heavy load. If after loading the machine and switching on the electric supply, the motor does not start or runs at a very low speed, check if the material filled is too much. If so, reduce it and proceed again.
4. While grinding thick paste for idli, vada, dosa etc., never fill the jar to more than half its capacity.

#### **TIPS WHILE BLENDING / LIQUIDISING**

1. Fill jar only upto 34th of its capacity to prevent spilling of shakes, lassi etc.
2. While blending thick pastes such as purees, sandwich spreads etc., fill the jar only to 1/3rd of its capacity. Add liquid or water to prevent the paste from becoming too thick to overload the motor.

### **USAGES OF THE DRY GRINDING JAR:**

**THE DRY GRINDING JAR** has a fixed blade. It is suitable for grinding of • All types of spices • Raw rice • Sugar Dried or fried dal • Roasted coffee beans • Dried & pounded turmeric etc.

#### **TIPS WHILE DRY GRINDING**

1. For all dry grinding, ensure that the ingredients are dry or fried or roasted in the oven or sun dried.
2. Avoid over grinding. It makes the rice powder sticky. It also makes sugar or salt melt and stick to the blades which damages the machine.
3. While dry grinding, the jar may heat up because of friction. It has nothing to do with

motor

4. For extra fine grinding, sieve the ground substance through a fine sieve to the consistency required. The left over can be put in the grinder, reground and sieved again.
5. Hard substances like turmeric should be well pounded before being put in the jar for grinding.
6. For best results, raw meat should be kept in refrigerator for half an hour before processing.

### **PRECAUTIONS:**

- Always use 3 pin plug for connecting the electrical supply.
- After using, the switch must be turned off and electric supply disconnected by gripping the plug and pulling it from the electric outlet (never pulling the cord).
- Do not let cord hang over the edges of tables or counter or touch hot surfaces.
- To protect against electrical hazards, do not immerse motor unit or cord plug in water or other liquids. Never use outdoors or on wet surfaces.
- Keep away from the moving parts. Do not insert finger, knife etc. in jar while in operation.
- Do not remove or replace any attachment or attachment cover when the motor is on.
- Switch off the motor, if it stalls or smoke emanates from the motor.
- Blades are sharp, handle carefully while fixing, removing or cleaning them.
- Keep Machine away from direct heat or sun. Never wash the parts in hot water.
- Do not run the machine unless jar is in position. Covers and lids should be firmly placed too.
- Do not run the motor for more than 90 minutes continuously.

## CARE AND MAINTENANCE:

### HOW TO CLEAN THE JARS

Cleaning of the jars plays an important role in their performance. While grinding, food particles and water collected under the blade's hexagonal nut may gradually trickle onto the spindle. These food particles keep accumulating and hinder free rotation of the shaft which ultimately leads to its jamming. If the jars are cleaned and maintained as per instructions below, jamming of spindle can be minimised.

To clean the jar after every use, pour in small quantity of warm water with a little detergent. Run the motor with jar (fitted with blade) at low speed for 10-15 seconds.

This helps in removing the particles sticking under the washer (steel cap).

Remove the jar from the motor unit and unscrew the blade, using spatula as a spanner.

Wash blades, and inner portion of the jar in running water, holding them in your hand.

A nylon brush can be used for cleaning them.

After washing all the parts, dry them well in air. This makes them odour free and ready for next use. Do not leave the blades fixed to the jar. Do not immerse the bottom portion of the jar in water.

Care should be taken while cleaning the blades. Don't rub with the finger/cloth. Always clean under running water.

## SPECIFICATIONS

Model Type : Lifelong Hulk

Motor : Heavy Duty, 1200 W

Power Supply : 230 to 240 V, AC 50 Hz

Power Consumption : 1200 Watts on maximum load

Motor Speed : No Load Speed Maximum approx. 22000 RPM

Net weight with carton : 6.0 Kg approx

## Terms and Conditions:

1.This warranty is void if:

- a. The completely filled warranty card is not presented at the time of servicing the product.
- b. The product is not operated according to the instructions given under the user manual.
- c. Damages are caused by lightning, abnormal voltage, water or other liquid intrusion, fire, flood, accident, negligence or improper handling.
- d. Product has been damaged due to installation, repairs, alterations or modifications by unauthorized service organizations or persons.
- e. Product label specifying the model number, serial number and production code has been removed and altered.
- f. Defects or parts requiring replacement due to ordinary wear and tear, corrosion, rust or stains, scratches, dents on the casing or paintwork of the product.
- g. Claims damaged and/or missing parts (accessories) after 7 days from the original date of goods received.
- h. Defects or faults in product which have been used for commercial/industrial purposes or which have been rented/leased or have been otherwise subject to non-household/non-domestic use.

2. Repairs or replacements will be carried out by authorized service provider.
3. During the limited warranty period, Lifelong or its authorized service provider will repair without charge the defective unit inclusive of labor and parts and restore the unit to its optimum working condition. All defective parts used for the warranty repair should be surrendered to Lifelong and/or its authorised servicer.
4. All expenses incurred in collecting the unit (s) or part(s) thereof from authorised service provider as will as any other expenses and incidentals will be borne by the consumer.

5. Lifelong obligations are limited to the repair and replacement of the defective product. Except as set forth above, there are no other express or implied warranty and all warranted, conditions or other terms implied by statute or common law (including any warranty of satisfactory quality, merchantability or fitness for a particular purpose) are excluded to the fullest extent permitted by the law.
6. Lifelong total liability for damages relating to or arising out of the purchase or use of the product regardless of the type or cause of such damage of the form of characterization of the claim asserted (e.g. contract or tort) shall not exceed the original purchase price paid for the product.
7. However in no event shall Lifelong and Lifelong authorized distributors be liable for any punitive, special incidental, indirect or consequential losses or damages whatsoever (including without limitation, damages for the loss of revenue, business, profits, goodwill, or contracts, business interruptions, loss of business information or any other pecuniary loss.) Whether or not Lifelong has been advised of the possibility of such damages. These limitations shall apply not with standing the failure of the essential purpose of any limited warranty. This limited warranty does not affect consumer's statutory rights under the law.
8. No carrier, dealer or employee is thereof authorized to make modifications to this warranty and you should not rely on any such representation. Lifelong reserves the right to amend the terms and conditions if necessary.

## Consumer Warranty Card

Dear Customer,

Thank you for choosing a Lifelong consumer product. All Lifelong Consumer products are designed and manufactured to the highest standards to deliver high quality performance, as well as easy installation and use. At Lifelong, we believe in providing not only service, but adding value to your purchase. The warranty has therefore been designed especially for you with your interest at heart.

### Warranty Service

All Lifelong consumer products are covered against manufacturing defects from them date of purchase.

Name of the product: \_\_\_\_\_

Model: \_\_\_\_\_

Warranty coverage: 2 years

Please note: Purchase receipt is necessary for warranty verification.

Customer Care: [customercare@lifelongonline.com](mailto:customercare@lifelongonline.com)

### Customer Details

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Home Number: \_\_\_\_\_

Office Number: \_\_\_\_\_

E-mail Address: \_\_\_\_\_

### Product Details

Model No.: \_\_\_\_\_

Serial No.: \_\_\_\_\_

Purchase Date: \_\_\_\_\_

Invoice Number: \_\_\_\_\_

Online Site: \_\_\_\_\_

Please log on to [www.lifelongindiaonline.com](http://www.lifelongindiaonline.com) and complete the online warranty form with your personal and product details within 14 days.